


Septin helps you feel better.




So you can work and enjoy your life.




If you observe side effects, go to the health center.




Skin rash



Vomiting



Yellow eye



Stop the Septin only if a health care worker tells you to do so.




USAID FROM THE AMERICAN PEOPLE



PEPFAR U.S. President's Emergency Plan for AIDS Relief

Adult Living with HIV



Take your Septin.


Your dosage is _____

Your next appointment is on _____

Your next appointment is on _____



Your next appointment is on _____

Take your Septrin once each day.



If you do not continue to take Septrin,
you may become sick or die.


Take Septrin
with or without
food and use
safe water.



Septin helps you feel better.




So you can work and enjoy your life.




If you observe side effects, go to the health center.




Skin rash



Vomiting



Yellow eye



Stop the Septin only if a health care worker tells you to do so.



USAID FROM THE AMERICAN PEOPLE



PEPFAR U.S. President's Emergency Plan for AIDS Relief

Adult Living with HIV



Take your Septin.

Your dosage is _____

Your next appointment is on _____

Your next appointment is on _____


Your next appointment is on _____

Take your Septrin once each day.




If you do not continue to take Septrin,
you may become sick or die.


Take Septrin
with or without
food and use
safe water.






Septin helps the child feel better.



So he/she can eat and play.



If you observe side effects, go to the health center.



Stop the Septin only if a health care worker tells you to do so.




USAID
FROM THE AMERICAN PEOPLE



PEPFAR
U.S. President's Emergency Plan for AIDS Relief

Child Living with HIV



Give the child Septin.




His/her dosage is _____

His/her next appointment is on _____

His/her next appointment is on _____



His/her next appointment is on _____

Give the child Septrin once each day.




If you do not continue to give Septrin to the child, the child may become sick or die.


Give Septrin with or without food and use safe water.



Septin helps the infant feel better.




So he/she can feel good and play.




If you observe side effects, go to the health center.




Skin rash



Vomiting



Yellow eye



Stop the Septin only if a health care worker tells you to do so.




USAID FROM THE AMERICAN PEOPLE



PEPFAR U.S. President's Emergency Plan for AIDS Relief

Infant Living with HIV



Give the infant Septin.



His/her dosage is _____

His/her next appointment is on _____

His/her next appointment is on _____

His/her next appointment is on _____

Give the infant Septrin once each day.*



If you do not continue to give Septrin to the infant, the infant may become sick or die.

* Use safe water or breastmilk to dissolve the dispersible tablets.

